RUST-OLEUM®
INDUSTRIAL

COMBICOLOR®
ORIGINAL

Metal protection for years in minutes

KNOW-HOW TO PROTECT™

WWW.RUST-OLEUM.EU

METAL PROTECTION SINCE 1921

Scottish-born sea captain Robert Fergusson noticed that the rusty deck of his vessel stopped corroding in places where fish oil had been spilled. This discovery inspired the captain to develop the first fish oil-based anticorrosion paint.

In 1921 he perfected a type of paint that prevented rust and was capable of drying overnight without leaving any unpleasant odours. RUST-OLEUM® Corporation was born, today a world leader in the production of protective paints and coatings for industrial as well as private use.

Nowadays in the US, 96% of consumers name RUST-OLEUM® as the no. 1 rust preventive paint.

COMBICOLOR® ORIGINAL

METAL PROTECTION FOR YEARS IN MINUTES !

COMBICOLOR® THE PROFESSIONAL'S CHOICE SINCE 1985

Did you know...
...that in 1985 CombiColor® coatings were the first coatings to combine the function of a rust-preventive primer and gloss finish in one?

RUST-OLEUM® STOPS RUST SINCE 1921

RUST-OLEUM® INDUSTRIAL

COMBICOLOR® ORIGINAL

METAL PROTECTION FOR YEARS... IN MINUTES!

- Direct to rust
- All weather resistant
- Sag resistant
- Interior &exterior use
- Heat resistant up to 90 ˚C
- No brush strokes
- Applicable from 5 °C

RUST-OLEUM® STOPS RUST SINCE 1921



FOR APPLICATION ON:
Bare steel or manually derusted surfaces (use scraper/wire brush) or previously coated substrates in good condition.

AVAILABLE FINISHES:
Smooth, Satin, Matt, Hammertone, Wrought iron.

Available packsizes: 250 ml, 750 ml, 2,5 litres and 400ml aerosols

Refer to technical datasheet for further information (www.rust-oleum.eu)

RUST-OLEUM® INDUSTRIAL

SUPERIOR METAL PROTECTION

BETTER THAN STANDARD METAL PAINT!

Long-lasting flexibility

CombiColor®
Remains flexible under all conditions

Brand X
Cracks and flakes when bent

More m²



Better hiding power!

Brush out at 100 µm

COMBIPRIMER®

ADHESION PRIMER

MAKES THE SMOOTHEST SURFACE COATABLE!

3302

For use on:
Galvanised steel, Aluminium, Stainless steel, Zinc, Hard PVC, Copper, Ceramic tiles, Porcelain, Glass

Available packsizes: 250 ml, 750 ml, 400 ml aerosol

- Easy to apply
- Transparent blue finish
- Recoatable after just 30 minutes
- Very high coverage



Clean and degrease



Apply CombiPrimer®

Recoat after 30 min.

COMBIPRIMER®

ANTI-RUST PRIMER

FOR EVEN LONGER ANTI-RUST PROTECTION

3369 Red brown

3380 Gray

Available packsizes: 250 ml, 750 ml, 2.5 litre, 400 ml aerosol

- Recoatable after 2 hours
- Lead and chromate free
- Grey for light coloured topcoats
- Red for dark coloured topcoats



Remove loose rust with a wire brush

Clean and degrease



Apply CombiPrimer® (3369/3380)

COMBICOLOR®

Thinners

Standard
7301

For hammertones
7302

CombiColor® coatings are ready for immediate use with brush or roller. For spray application however it is advised to use a CombiColor® thinner.

RUST-OLEUM®
INDUSTRIAL

COMBICOLOR® ORIGINAL

INSTRUCTIONS FOR USE

Remove loose rust and deteriorated paint by scraping and wire brushing or sand existing glossy paint to ensure good adhesion.

Remove grease/oil. Surface should be clean and dry before application.



Apply a coat of CombiColor®. If necessary apply a second coat after 16 hrs.

TECHNICAL DATA

	CombiPrimer Anticorrosion	CombiPrimer Tack coat	CombiColor® Smooth, Satin, Matt, Wrought Iron	CombiColor® Hammer-tone	CombiColor® Aerosols
Theoretical coverage	12,8 m^2/l	35 m^2/l	10,5 m^2/l	8,5 m^2/l	2-3 m2/aerosol
Drying times at 20 °C and 50% RH					
Dry to handle after	2 hrs	-	8 hrs	5 hrs	4 hrs
Recoatable after	2 hrs	1/2 timer	16 hrs	16 hrs	2 hrs
Full hardness after	7 days	-	7 days	7 days	7 days
Thinner (item no.)	7301	160	7301	7302*	-

*7302 for spray application

COMBICOLOR® ORIGINAL

PROVEN TRACK RECORD

RUST-OLEUM® STOPS RUST SINCE 1921

Petrochemical plant, Belgium

Rigi train, Switzerland

Venice, Italy

Stairs at Heathrow, U.K.

RUST-OLEUM® INDUSTRIAL

CombiColor® coatings can be supplied on special request, in more than 3.000 RAL, AFNOR, NCS, BS381C and BS4800 colours.

Smooth

Gold	RAL 9006	RAL 5017	MARLIN BLUE	RAL 5012
7314	7315 ●	7320	7322	7323 ●
RAL 5015	RAL 5010	RAL 5002	RAL 5011	RAL 6018
7324	7326 ⚠	7328	7329	7333
RAL 6010	RAL 6011	RAL 6001	RAL 6005	RAL 6009
7334 ●	7335	7336	7337	7339
RAL 1013	RAL 1015	RAL 1018	RAL 1023	RAL 1021
7341	7342	7343 ⚠	7344	7346
RAL 1003	RAL 1007	RAL 1004	RAL 2000	RAL 4001
7347	7348 ⚠	7349 ●	7354	7363 ●
RAL 3000	RAL 3020	RAL 8001	RAL 8011	RAL 9005
7365 ● ⚠	7366	7373 ●	7377	7379 ●
RAL 7035	RAL 7001	SILVER GREY	RAL 7005	RAL 7016
7381	7382	7383	7386	7389
RAL 9010	RAL 9016	NEW RAL 9016	NEW RAL 2004	NEW RAL 5015
7392	7396	2196	2156	2129

Satin

BLACK	WHITE
7375	7394

Matt

BLACK	WHITE
7378	7390

Wrought Iron

GREEN	BLACK
7313	7319

Due to printing limitations, colours shown may differ from actual products.

Hammertone

LIGHT BLUE	DARK BLUE	LIGHT GREEN	DARK GREEN
7321	7327	7332	7338
GOLD	COPPER	RED	DARK BROWN
7345	7362	7364	7374
BLACK	LIGHT GREY	DARK GREY	WHITE
7376	7384	7388	7391

CombiPrimer®

RED BROWN	GREY	TRANS-PERANT
3369	3380	3302

Machine Colours*

7326 Ford Blue
7333 Deutz Green
7336 John Deere Green
7343 John Deere Yellow
7348 JCB excavators
7354 STILL Orange
7365 Massey Ferguson
7365 New Holland Red
7386 Deutz Grey

Identification Colours

7315 Steam
7323 Air
7334 Water
7349 Gas
7363 Acids
7365 Fire-fighting
7373 Liquid spirits
7379 Other liquids

Safety Colours

7326 Fresh water
7343 Danger
7348 Danger warning of poison, explosion, radio-active radiation
7365 Stop / forbidden / fire extinguisher

*There may be some slight variation from original manufacturer's colours.

RUST-OLEUM® INDUSTRIAL

RUST-OLEUM®
INDUSTRIAL

Find your nearest RUST-OLEUM distributor
www.rust-oleum.eu/distributors
or contact our customer services team.

Your Rust-Oleum® distributor:

@RustOleumEU RustOleumEU RustOleumEU

WWW.RUST-OLEUM.EU

TOR COATINGS LTD (RUST-OLEUM INDUSTRIAL)
Shadon Way, Portobello Ind. Estate, Birtley, Chester-Le-Street, DH3 2RE United Kingdom
T: +44(0) 191 4113146 F: +44(0) 191 4113147 info.uk@ro-m.com, www.rust-oleum.eu

RUST-OLEUM EUROPE / NV MARTIN MATHYS SA
Kolenbergstraat 23, 3545 Zelem, Belgium
T: +32 (0)13 460 200 - F: +32 (0)13 460 201 - info@rust-oleum.eu

V231.GB - 1018

KNOW-HOW TO PROTECT™

RUST-OLEUM® products are manufactured by Rust-Oleum Europe under license from Rust-Oleum International Corporation, USA.
Rust-Oleum® and CombiColor® are registered trademarks of Rust-Oleum International Corporation, USA.
© Copyright 2018 by Rust-Oleum Europe.